



User Profile

Contents

1	User groups.....	3
1.1	Single or full task?	3
1.2	Defining user groups	3
1.3	Users and user groups:.....	5
2	Users	5
2.1	Defining users.....	5
3	Languages	7
3.1	Defining languages	7

1 User groups

The menu is defined per Plant. Based on the access rights per user group the menu is customized for users connected to this user group. At least one user group must be defined before you can start defining a menu.

User groups should be defined in the ABSSolute-application and are used to control the rights that users have in the application. A right can be something like 'read only', so a user can only look at the data - in a specific dialog - but not change it. A right can also be 'visible'. Depending on the user group a user belongs to, some parts of the menu can be made available/visible or not. The menu and dialogs can also be shown in the language that is defined on user-level.

Each user group has the following properties:

Property	Description	Example
Name	A name that identifies the user group.	ADM
Description	A description for the user group.	Administration
Full task / Single task	Is the user that belongs to this user group a full or single task user? This is based on the license that is defined for the ABSSolute-application.	Full task
Active	Is the user group active or not? If the user group is not active, it will not be possible to connect users to it.	Active
Enable Lease Buy Out	Depending on this setting you can enable or disable - per user group - a button in the wearer-dialog that relates to 'Lease buy out'. With this wearer-dialog-button, garments are made Customer Owned and the Residual Value is invoiced (in one click). See also manuals 08-B1 Customer Structure general and 11-B2 Invoicing related files.	Not enabled
Contact manager	If the contact manager module is used, the users within the user group can have access to this module.	Enabled
Business Unit(s)	To which Business Units is this user group granted access? Example: The Production-user group for Business Unit Rotterdam does not have access to the information of Business Unit Amsterdam.	AMSTERDAM

1.1 Single or full task?

Each dialog in the ABSSolute client application is either single-task or a full-task. Users that are part of a 'single-task' user group have no access to full-task-dialogs. Users that are part of a 'full-task' user-group do not have this restriction.

1.2 Defining user groups

One or more user groups can be defined in the ABSSolute client-application. At least one user group must exist. Do the following:

- Start the ABSSolute client-application.

1.3 Users and user groups:

You also must define users in the ABSSolute client-application. During this process, you can assign each user to a specific user group. So, when a user is starting the ABSSolute client-application and enters his/her username and password, the user will see the menu that is defined for the user group he/she is connected to.

2 Users

You can define one menu per Plant. You also need to define at least one user group that connects to the menu. A user is part of a user group. This means a user will get the rights that are defined for the user group he/she is part of. This also means the user will only see the menu-options that are defined as visible for his/her user group. It is also possible to show the menu and dialog in the language of the user.

Each user has the following properties:

Property	Description	Example
Full name	The full description for the user	Peter Smith
Login name	Login name of the user	PSMITH
Password	The password for the user	Prod004
User group	The user group the user belongs to. Select from a list of user-defined user groups. See chapter '1' about 'User groups'.	PROD
Language	The language for the user. This can result in showing the menu and dialogs in the language of the user and is possible if the ABSSolute-application is translated in this language. Select from a list of pre-defined languages. See also manual 20-A1 Translation Tool.	German
Remark	A remark for this user	
Active	Is the user active or not?	Yes
System Administrator	Is user of type 'System Administrator'? A user of this type can see more information, like system warnings.	No
Contact manager full rights	Is this user allowed to edit other users contact information? If not, this user is only able to modify his/her own information. Note: This is only available for the Contact Manager Module.	No
Show pending contacts popup during login	This is used to show information about open contacts. Note: This is only available for the Contact Manager Module.	No


2.1 Defining users

- One or more users can be defined in the ABSSolute client-application. Do the following:
- Start the ABSSolute client-application.
- Go to the option 'System Users' in the menu and click on this option. Now the dialog 'System Users' will be shown.

User Profile

- Click on the 'Add'-button to add a new user.
- Enter the full name for the user, for example 'Peter Smith'.
- Enter the login-name, for example 'PSMITH'.
- Enter the password, for example 'prod004'.
- Retype the password.
- Select the user group the user belongs to, for example 'PROD' (production).
- Select the language, for example 'German'. In this way the user can see menus and dialogs in the German language. This is possible if the ABSSolute-application is translated in this language. See also manual 20-A1 Translation Tool.
- Enter a remark or leave it empty.
- Set the user as 'System Administrator' or not. In most cases only one user (Administrator) should have this set.
- Click on 'Save' to save the user.

In this way you can enter one or more users.



The image displays three screenshots of the 'Add System User' dialog box, illustrating the different tabs available for configuring a user profile.

Top Left Screenshot (General Tab): Shows the 'Add System User' dialog with the 'General' tab selected. Fields include Full Name, Login Name, User Group, Language, and Remark. There are checkboxes for 'Active' and 'System Administrator'. Below are sections for 'Miscellaneous' (Employee) and 'Stockroom Authorizations' with several checkboxes for permissions.

Top Right Screenshot (Password Settings Tab): Shows the 'Add System User' dialog with the 'Password Settings' tab selected. Fields include Password, Retype password, Expires Every (Days), and User Need to Change Password with Next Login. There are checkboxes for 'Locked Out' and 'Logged In Now'. A 'History' section includes fields for Last Valid Login, Last Invalid Login, Password Changed, and Invalid Logins Since Last Change.

Bottom Screenshot (System Administration Tab): Shows the 'Add System User' dialog with the 'System Administration' tab selected. It features a section titled 'System Administration' with checkboxes for 'Authorized to Debug and maintain application server', 'Run incidental scripts and processes', and 'Manage Licenses'.

3 Languages

Each menu that you create with the Menu-application can be shown in one or more languages. This can be used for employees who want to see the menus and dialogs in their native language. Languages can be defined in the ABSolute client-application. You can define as many languages as required.

3.1 Defining languages

One or more languages can be defined in the ABSolute client-application. Do the following:

- Start the ABSolute client-application.
- Go to the option 'Languages' in the menu and click on this option. The language-dialog will be shown.
- Click on the 'Add'-button to add a language-definition.
- Select the language, by choosing it from a list of available languages. These are pre-defined in the system.
- You can set the option 'Define descriptions in this language' if you also want to use descriptions – in the database - in different languages. For example, product-descriptions can then be shown in the language of the employee.
- This option 'Use as language for system user' results in showing the ABSolute-menu in the language of the user.
- Click on the 'Save'-button to save the definition.

In this way you can define one or more languages.

